

2. ALL STRIPING AND MARKINGS DOES CONFORM TO THE STATE OF CALIFORNIA,

ALL TYPE ⅢBARRICADES GUARDING THE WORK AREA OVERNIGHT.

6. ALL TUBULAR DELINEATORS AND CONES SHALL BE 28" MINIMUM HEIGHT,

7. THE CONTRACTOR SHALL MAINTAIN, ON A CONTINUOUS BASIS, ALL SIGNS,

REFLECTORIZED SLEEVE, IF USED DURING NIGHT-TIME HOURS.

5. ALL SIGNS SHALL BE REFLECTORIZED AND STANDARD SIZE.

AND DRIVEWAYS AT ALL TIMES.

DURING CONSTRUCTION.

3. THE CONTRACTOR SHALL PROVIDE FOR ACCESS TO ALL ADJACENT PROPERTIES,


4. FLASHING YELLOW BEACONS, TYPE "B", SHALL BE USED ON ALL W20-1 SIGNS AND ON

REFLECTORIZED AND MAINTAINED ERECT IN THE INDICATED POSITION AT ALL TIMES, AND SHALL BE REPAIRED, REPLACED, OR CLEANED AS NECESSARY TO PRESERVE

THEIR APPEARANCE AND CONTINUITY, AND SHALL INCLUDE A 12" HIGH-INTENSITY

DELINEATORS, BARRICADES, ETC., TO ENSURE PROPER FLOW AND SAFETY OF TRAFFIC

STANDARD PLANS AND SPECIFICATIONS, INCLUDING STANDARD PLAN A-20, DETAILS.





9. CONSTRUCTION OPERATIONS SHALL BE CONDUCTED IN SUCH A MANNER AS TO CAUSE

10. ADDITIONAL TRAFFIC CONTROLS, TRAFFIC SIGNS, OR BARRICADING MAY BE REQUIRED IN

THE FIELD. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PLACEMENT OF ANY

ADDITIONAL DEVICES NECESSARY TO ASSURE SAFETY TO THE PUBLIC AT ALL TIMES

AS LITTLE INCONVENIENCE AS POSSIBLE TO ABUTTING PROPERTY OWNERS.

11. EXACT LOCATION AND TYPE OF CONSTRUCTION SIGNS SHALL BE DIRECTED BY THE

14. ALL CONFLICTING LINES, EXISTING CURB PAINT, AND MARKINGS SHALL BE REMOVED

BY WET SANDBLASTING OR OTHER APPROVED METHOD PRIOR TO INSTALLATION OF

REMOVED. PAVEMENT THAT IS DAMAGED DUE TO REMOVAL OF MARKERS SHALL BE

REPAIRED TO THE SATISFACTION OF THE CITY ENGINEER AND/OR STATE INSPECTOR.

NEW/TEMPORARY STRIPING. ALL CONFLICTING RAISED PAVEMENT MARKERS SHALL BE

12. MOVE DELINEATORS AND/OR CONES TO SIDEWALK DURING NON-WORKING

ENGINEER BASED UPON CONSTRUCTION CONDITIONS.

HOURS. REMOVE BARRICADES ETC. FROM TRAVEL LANE.

13. REMOVE OR TURN OFF SIGNS DURING NON-WORK HOURS.

DURING CONSTRUCTION.

CHC Consulting, LLC 1700 E. Garry Ave. , Suite 210 Santa Ana, CA 92705 (949) 250-0004 / FAX (949) 250-000

\.	DRAWN		05/20/2015		MBM	626-817-4258
	OUEOKED					EMAIL ADDRESS
	CHECKED					jj1823@att.com
						FACILITY ENGINEER
	APPROVED		05/22/15		JF8462	NICK KOBLISKA
	DATE	П	EVISIONS			TELEPHONE NUMBER
	DATE		EVISIONS			818-373-8320
						GEOCO
						B1-26
						CENTRAL OFFICE
						AGOURA
006						UNDERGROUND CONSTRUCTION ROUTINE ORDER/ESTIMATE NUMBER
	SCALE			THOMAS GUIDE		A005PZ2
	1"= 40'				558-H6	A0031 ZZ
	FILE NAME:					DRAWING:
	A005PZ2 MH ACCESS TCP.DWG					§ 1/1